

Marie Martek – OU 9610



Name Marie Martek
 Call sign OU 9610
 Flag state Denmark/Greenland, Danish ship register
 Type Cargo ship
 Crew 2+
 Passengers 12
 Length 14,99m
 Beam 4,50m
 Draft 1,84m
 Material Aluminium
 Tonnage 19,2 BRT
 Main engine 2 x Scania DSI 11, 258KW/350BHP
 Aux engines 1 x PRAMAC P-6000 4,8 kVA, 1x220 VAC 50Hz
 Bunker 1,6 m³ diesel, 0,3 m³ freshwater
 Speed 18 knots at 110 liters/hour
 Range 200 Nm at 18 knots with heating and aux running.
 Cargo capacity 4 ton, Reduced to 2 ton in icing conditions.

Equipment
 Chartplotter MaxSea PC Based, Single Display
 Chartplotter #2 SEIWA Barramundi Plus
 GPS compass Koden GPS kompas KGC-1
 Radar Furuno 10"
 Echo sounder Simrad EQ33
 Autopilot Simrad AP20
 Rudder indicator Simrad AP20
 Magnetic compass Einar Weilbach & Co
 VHF Høcom Familie 500 VHF
 VHF Handheld 2 pcs.
 MF/HF/DSC Sailor HC4500B
 GSM voice, data Ericsson W25, Quad band GSM, WCDMA, HSPDA, EDGE, GPRS
 Iridium Motorola 9505B
 Internet WLAN access under GSM coverage
 Print/copy/scan HP LaserJet 1018

Engine room
 Compressors 1 x ½ bhp, 10L tank
 Heater/boiler 1 x Kabola E7
 Fire protection Aerosol

Deck equipment
 Anchors 1
 Searchlights 2 x 250W
 RIB 1 equipped with 4bhp, 2 stroke
 Flood lights 1 x 250w

Safety equipment
 Life rafts 1 x Viking 16 person Solas life rafts
 Life jackets 15 Solas approved life jackets
 Survival suits 15 Solas approved survival suits
 EPIRB McMurdo
 SART McMurdo SART
 Portable VHF Icom
 Fire pump 15 m³/hour
 Fire extinguisher 3 pcs.
 Fire alarm system Consilium Marine C-303
 Medicine chest C

General arrangement
 Wheelhouse Seating for the crew, and 2 passengers, room for additional persons.
 Galley Electrical 2 plate stove, microwave oven, coffee maker, waterboiler
 Passenger cabin Seating for 12 passengers. 4 seatings can be removed to establish more room for cargo.
 Berths 2 single berths for crew. Two additional berths are possible.
 WC/Shower 1

Note: All information given in good faith, but is target for changes.

Marie Martek – OU 9610



Marie Martek – OU 9610

